#### § 150.757

#### § 150.757 Oil throughput log.

The licensee shall maintain an oil throughput log, from which the report of oil throughput required by §150.707 is prepared. Records in this log must be retained for three years, and must specify for each oil transfer operation:

- (a) Vessel name, nationality, owner, and date of arrival;
- (b) Country of origin of crude oil; and
- (c) Total quantity in barrels of oil transferred.

#### § 150.759 Declaration of inspection.

The licensee shall retain signed copies of the declaration of inspection forms required by §150.417 for one month from date of signature.

#### APPENDIX A TO PART 150—DEEPWATER PORT SAFETY ZONE BOUNDARIES

I. Purpose. This appendix contains a general description of the deepwater port safety zone designated and developed during the license application review process for each deepwater port that has been authorized for contruction and operation off the United States coastline. Annexes show, to the nearest second of latitude and longitude, the geographical boundaries of each resultant safety zone. (Shipping safety fairways associated with the Deepwater Ports are descibed in Part 166 of this Title.)

The regulations in Subpart C of this part concerning vessel navigation and activities permitted and prohibited at U.S. deepwater ports apply only in the safety zone areas and adjacent waters and supplement the International Regulations for Preventing Collisions at Sea.

II. Authority. Section 10(d) of the Deepwater Port Act of 1974 (88 Stat. 2138 (33 U.S.C. 1509(d))) and Section 4(c) of the Ports and Waterways Safety Act, as amended (33 U.S.C. 1223(c)); 49 CFR 1.46.

III. General. Deepwater port safety zones are established to promote safety of life and property, marine environmental protection and navigational safety at any deepwater port and adjacent waters. In a deepwater port safety zone no installations, structures, or uses that are incompatible with port operations are permitted. The configuration of each designated safety zone is depicted on current editions of the navigational charts that cover the deepwater port area.

IV. Modifications. Safety zone boundaries are subject to modification as experience is gained in U.S. deepwaters port operations. Modifications will be made only after due notification and consideration of the views of interested persons.

V. Geographic coordinates expressed in terms of latitude or longitude, or both, are not intended for plotting on maps or charts whose referenced horizontal datum is the North American Datum of 1983 (NAD 83), unless such geographic coordinates are expressly labeled NAD 83. Geographic coordinates without the NAD 83 reference may be plotted on maps or charts referenced to NAD 83 only after application of the appropriate corrections that are published on the particular map or chart being used.

# ANNEX A—LOOP, INC. DEEPWATER PORT, GULF OF MEXICO

[(a) Deepwater Port Safety Zone]

1(-)	
Latitude N.	Longitude W.
(1) Starting at:	
28°55′23″	90°00′37″
(2) A rhumb line to	
28°53′50″	90°04′07″
(3) Then an arc with a 4,465 meter (4,883 yard) radius centered at the port pumping platform complex (PPC),	
28°53′06″	90°01′30″
(4) to a point	
28°51′07″	90°03′06″
(5) Then a rhumb line to	
28°50′09″	90°02′24″
(6) Then a rhumb line to	
28°49′05″	89°55′54″
(7) Then a rhumb line to	
28°48′36″	89°55′00″
(8) Then a rhumb line to 28°52′04″	89°52′42″
(9) Then a rhumb line to	09 32 42
28°53′10″	89°53′42″
(10) Then a rhumb line to	00 00 42
28°54′52″	89°57′00″
(11) Then a rhumb line to	
28°54′52″	89°59′36″
(12) Then an arc with a 4,465 meter (4,883 yard) radius centered again at the port PPC,	
(13) To the point of starting,	
28°55′23″	90°00′37″

- (b) Areas to be Avoided. The seven areas within the safety zone to be avoided are as follows:
- (1) The area encompassed within a circle having a 600 meter radius around the port PPC and centered at:

Latitude N. Longitude W.

28°53′06″ 90°01′30″

(2) The six areas encompassed within a circle having a 500 meter radius around each single point mooring (SPM) at the port and centered at:

## Coast Guard, DOT

## Pt. 150, App. A

Latitude N.	Longitude W.	28°54′05″	89°56′38″
28°54′12″	90°00′37″	28°52′04″	89°52′42″
28°53′16″	89°59′59″	28°50′20″	89°53′51″
28°52′15″	90°00′19″	28°52′21″	89°57′47″
28°51′45″ 28°52′08″ 28°53′07″ (c) Anchorage	90°01′25″ 90°02′33″ 90°03′02″ Area. The area within the		Stat. 2137–38 (33 U.S.C. 4, 92 Stat. 1473–74 (33 1.46)
safety zone enc points at:	losed by rhumb lines joining		2 85649, Dec. 29, 1980, as 5-044, 50 FR 26990, July 1,
Latitude N. 28°52′21″	Longitude W. 89°57′47″		2 FR 33811, Sept. 8, 1987;

# **INDEX**

## SUBCHAPTER NN—DEEPWATER PORTS

 ${\tt EDITORIAL\ NOTE: This\ listing\ is\ provided\ for\ informational\ purposes\ only.\ It\ is\ compiled\ and\ kept\ up-to-date\ by\ the\ Coast\ Guard,\ Department\ of\ Transportation.}$ 

Section

## $\mathbf{A}$

Part 148
148.253
148.257
148.255
149.701, 150.601
149.705, 150.603
149.707
150.611
150.607
150.605
Subpart C
148.203
Subpart B
148.213
148.211
148.215
Subpart C
148.323
148.321
148.325
148.327
148.207
149.773
149.775
149.771
148.219
140.419
150.303
150.341
150.341
150.315
148.205

# Subchapter NN

# D

Design, construction, and equipment	Part 149
Designation of adjacent Coastal States	148.217
Deepwater Ports Regulations	
Applicability	148.601
Coordination with States	148.605
Environmental review criteria Apper	
Exemption criteria	148.607
Petition for exemption	
Deepwater Port Safety Zone BoundariesApper	ndix A to Part 150
Loop, Inc.; Gulf of Mexico; geographic coordinates Annex A	to Appendix A of
	Part 150
Design and Equipment	
Applicability	149.201
Construction	149.206
Design standards	149.205
Emergency equipment	149.211
Engineering drawings and specifications (Fixed marine and I	Floating
marine components)	
First aid station	
${f F}$	
Fire Extinguishing Systems, other	140 401
Fire Extinguishing Systems, other Fire Fighting Equipment	149.401
Axes	140 515
Extinguishers	149.313
Landing areas with fueling facility	140 519
Landing areas with no fueling facility	
Location	
Marking	
Portable and semiportable	
Spare charges	
Fire detection and alarm systems	149.491
Fire hose Coupling	140 471
Nozzle	
Rack	
Size	
Fire hydrants	
Access	
Fire hydrant and control valve shutoff valve	
Outlet	
Fireman's outfits	
Fire pumps	
Fire pump locations	149.455
Fire fighting systems for helicopter pads	149.483
Fixed fire main system for water	
Fog Signal	
Formal Hearings	
A person not a party	
Appearance and practice	
Assignment of administrative law judge	148.253
Authority of the administrative law judge	
Conferences	
Determination to hold formal hearing; notice of	
Evidence	148.289

## Index

Ex parte communications	148.259
Filing	148.273
Hearing date	
Intervention	
Jurisdiction of the administrative law judge	148.255
Motions	148.279
Order of procedure	148.287
Parties	148.261
Reporter; transcript; correction	
Requirements for documents	
Rulings referred or appealed to the Commandant	
Service of document; other transmittal	
Subpoenas	
Subscription	148.271
${f G}$	
General	150 101
ABS classification	150.121
Applicability	
Deviations	
Emergency deviations	
Environmental monitoring	
License	
Licensee	
Purpose	149.101
Н	
Helicopter	
Fueling facilities	
Operations, interference with	149.215
I	
Identification of a platform and Single Point Mooring (SPM)	1/0 701
Informal Public Hearing	
Notice of public hearing	
Report of public hearing	
Testimony and argument.	
Issuance of a License	
Applicability	
Consultation with adjacent coastal States	
Issuance of a license	
200 (600100 01 00 11001100 111011110111111111	
${f L}$	
Lifesaving Equipment	
General alarm system	149 541
Inflatable life rafts	
Launching equipment for inflatable life rafts	
Launching equipment for lifeboats	
Lifeboats	
Lifeboats and inflatable life rafts: General	
Lights, portable	149.539
Litters	
Markings	10.000
For personal flotation devices (PFD's)	149 597
Of general alarm system	
On lifeboats, life rafts, paddles, and oars	
, 1110 10100, postation, 0010 0010	

## **Subchapter NN**

Personal flotation devices, Type I	
Public address system	
Radio apparatus, portable	
Ring life buoys, approved (Type IV PFD's)	
Lights	
Chromaticity	
Color	
Display of information.	
Focus	
Intensity of obstruction lights	149 757
Intensity of lights, general.	149.723
Leveling	
Light source	149.721
Markings for piles and pile clusters	
Obstruction lights, number and location on a platform and SPM	149.751
Obstruction lights, number and location on a floating hose string	149.753
Radar beacon	149.795
Rotating lighted beason	149.797
Limits of Liability	Subpart G
Limits of liability	
Purpose	148.701
••	
N	
National Fire Protection Association (NFPA)	149.213
Navigation of	
Other vessels in the safety zone	150.339
Radar surveillance	150.307
Radio listening watch	150.311
Regulated vessel activities	150.345
Report before entering safety zone	
Ship's routing measures	
Support vessels in the safety zone	
Tankers in the safety zone	150.337
Notification	
To the Commandant	
To the District Commander	150.117
0	
Operations	Part 150
Aircraft operations	150.516
Aircraft, refueling for	
Applicability	
Emergency drills	150.519
Emergency Medical Technician	150.525
Firehose: Connection and stowage	
Fire main system	
Fire pumpFirst aid station	
Housekeeping.	
Illumination	
Lifesaving equipment	
Maintenance of equipment	
Maintenance of personal protection equipment	150.511
Personal protection equipment, use of	
Sanitation	

## Index

Station bill	.7	
Amendment	17	
Compliance with		
Copies		
General		
Response Plans		
Water depth measurements	25	
Weather monitoring150.12	27	
Oil Transfer Operations		
Applicability		
Declaration of Inspection		
Definitions	13	
Displacement of oil in an SPM-Oil Transfer System (OTS) with		
water		
Limitations 150.42		
Periodic tests and inspections: discharge containment equipment150.40		
Periodic tests and inspections: OTS components		
Periodic tests and inspections: removal material and equipment	19	
Repair or replacement of equipment 150.41	.1	
Requirements for connections	.0	
Stopping transfer operations 150.41	.o .n	
Suspension of oil transfer operations		
Suspension of our gransfer operations	i.U	
P		
Pollution Prevention Equipment		
Applicability149.30	)1	
Blank flange and shutoff valve	)7	
Communication equipment149.31		
Discharge containment and removal material, and equipment149.31		
Malfunction detection system		
Manually operated shutoff valve	19	
Oil transfer system alarm		
Marking of oil transfer system alarm		
Overflow and relief valve		
Pipeline and manifold (PLEM) shutoff valve		
Special requirement for onloading ports149.32	iΤ	
${f R}$		
Reports and Records		
Aid to navigation discrepancy	)5	
Casualty or accident (46 CFR Part 4)	1	
Declaration of Inspection		
General	i1	
Key personnel: Designations and qualifications	53	
Maintenance of ABS classification	)3	
Oil throughput log	57	
Oil throughput report		
Sabotage or subversive activity	.3	
Request by Port for determination	.6	
${f s}$		
Safaty Equipment		
Safety Equipment Applicability	۱1	
Applicability 149.40 Curbs, gutters, drains, and reservoirs 149.40		
Cur 05, gu 00015, urains, anu reservons	U	

# Subchapter NN

Emergency power	149.411
Equipment not required on a Pumping Platform	
Complex (PPC)	149.402
Means of escape from helicopter landing pad	149.423
Means of escape from platform	149.421
Open sided deck, deck opening, catwalk, and helicopter pad pro	otec-
tion	149.441
Personal landings	149.431
Site Evaluation	
General conditions of performance	148.505
Notice of proposed site evaluation	
Purpose	
Reports	
Suspension and prohibition of activities	
Personal landing illumination	
SPM's	149.209
${f v}$	
Vessel Navigation	
Advance notice of arrival	150.333
Advisories to tankers	150.309
Applicability	150.301
Assistant Mooring Master	150.342